

Post Installation

SYSPRO 8

Published: February 2019



CONTENTS

Post Installation


- Exploring 1
- Starting 2
- Solving 3
- Using 7



Post Installation

Exploring

Where does it fit in?



You have just installed **SYSPRO 8**. There are just a few more things you need to review to ensure that everything functions correctly.



Starting

Prerequisites

First time installation

- Install **SYSPRO 8** using the **SYSPRO Installer**.

Upgrading from SYSPRO 7 Update 1

- Install **SYSPRO 8** using the **SYSPRO Installer**.
- Convert your **SYSPRO 7 Update 1** data using the **Data Conversion** program.

Solving

Why can't I see the SYSPRO 8 runtime installed under Programs and Features?

The **SYSPRO 8** runtime uses Micro Focus installation software and is therefore listed as `Micro Focus COBOL Server` within the **Program and Features** function of your Windows **Control Panel** application.

Why can't I make direct calls to `Encore.dll`?

 For more information, please read the **SYSPRO e.net Solutions** article (*SYSPRO 8 Help > RESOURCES > Reference Guides*).

Removed:	Direct calls to <code>Encore.dll</code> are no longer available.
Reason:	<p>Directly referencing <code>Encore.dll</code> using COM/DCOM limits applications to 32-bit as well as SYSPRO's future expandability.</p> <p>In addition, any third party applications referencing the SYSPRO DLL's directly make it difficult for SYSPRO to easily enhance the system without requiring each third party application to also be changed.</p> <p> Web Services are still supported, so developers who have previously used Web Services will work unchanged.</p>



Replaced by:

Using the **SYSPRO 8 e.net Communications Load Balancer** service de-couples applications from the e.net 64-bit library and provides excellent scalability and performance.

Additional benefits:

- No limitation of being tied to a specific technology (e.g. 32-bit, etc.)
- The system is more robust as any failures don't prevent the system from continuing on the other threads.
- The system is multi-threaded and has a significantly improved performance under load.
- Third party applications can reside on any server-/computer that has access to the endpoint.



What happens to my legacy files when upgrading to SYSPRO 8?

When you select to upgrade from **SYSPRO 7 Update 1** to **SYSPRO 8** (using the **SYSPRO Installer** app) the process is as follows:

1. **SYSPRO 7 Update 1** installation files are removed.



There may be some files left behind after this process because of new files added through ports, or third party developer files.

2. The **SYSPRO 8** installation process checks whether there are any remaining legacy files.

If any are found, they are moved to a newly-created archived folder (`Archived_SYSPRO7Files`).

3. The following folders are added to the archived folder in the **SYSPRO 8** install location:

- `\Programs`
- `\Screens`
- `\Base\Bin`
- `\Base\UI`

How do I reset SQL Server credentials when logging into SYSPRO?

Possible scenarios for requiring a reset of your SQL Server credentials include:

- You can't log into SYSPRO because of a SQL Server credential error (e.g. password expired).
- You are in a support environment and have been supplied with a database that you cannot access, possibly due to not having the SQL password.

From **SYSPRO 8**, you can reset your SQL Server credentials:

1. Open `IMPACT.INI` (located in the `WORK` folder) using an editor application such as **Notepad**.
2. Change the `SQLADM` entry to `SQLADM=[reset]` or change the `SQLSTD` entry to `SQLSTD=[reset]`

Changing either entry enables you to reset the password for both accounts. The word 'reset' is not case sensitive.

3. Save the file and log into SYSPRO.

You will be prompted to enter a new SQL Server user name and password for both the administrative and standard logins.



Why are existing web views not appearing in SYSPRO after updating to the latest release

Prior to **SYSPRO 8 2019 R1**, any customized web view by operator or role surfaced in both SYSPRO and **SYSPRO Avanti**.

From **SYSPRO 8 2019 R1** onwards, however, you must explicitly state whether a web view is targeted for SYSPRO or **SYSPRO Avanti**.

Because any pre-existing web view is assumed to be for **SYSPRO Avanti**, if you want existing SYSPRO web views to appear in later versions of SYSPRO, you must rename the .JSON file to include a `_SYSPRO` extension (e.g. `UX_OperatorCode_ProgramLZ_SYSPRO.JSON`).

The .JSON file resides in your `\Base\Settings` folder (or the `Role_xxx` folder if the user interface is configured by role).

You can also rename the file using the **Save as** function from within the **Visual Designer**. You will be prompted to indicate the type of web view you want to save (i.e. **Avanti** or **SYSPRO Client**).

Using

Post Installation Checks

Check	Description
1. Services	<ul style="list-style-type: none">Start up the SYSPRO Services.
2. Licensing	<ul style="list-style-type: none">Apply the licensing for new modules and users (if any) in the Company Setup program.Update the company settings for any new modules.
3. Data conversion	<ul style="list-style-type: none">The upgrade from SYSPRO 7 Update 1 to SYSPRO 8 converts all ISAM data into SQL tables.Run the SQL Server Diagnostic program to ensure database integrity.
4. Port numbers	<ul style="list-style-type: none">Ensure that all port numbers configured in the System Setup program are correct.
5. Security	<ul style="list-style-type: none">Review and assign the security features required for all users, including electronic signatures, operator activities and role-based security.<ul style="list-style-type: none"> This is only required for first time installations. If you have upgraded from SYSPRO 7 Update 1, your security settings will be retained.If any users require denied access to Custom Form Query business objects, you can enable this now.



Check	Description
6. Web views	<ul style="list-style-type: none">Any web views created in SYSPRO 7 Update 1 must be renamed in order for them to appear in SYSPRO 8. <p> Prior to SYSPRO 8 2019 R1, any customized web view by operator or role surfaced in both SYSPRO and SYSPRO Avanti.</p> <p>From SYSPRO 8 2019 R1 onwards, however, you must explicitly state whether a web view is targeted for SYSPRO or SYSPRO Avanti.</p> <p>Because any pre-existing web view is assumed to be for SYSPRO Avanti, if you want existing SYSPRO web views to appear in later versions of SYSPRO, you must rename the .JSON file to include a <code>_SYSPRO</code> extension (e.g. <code>UX_OperatorCode_ProgramLZ_SYSPRO.JSON</code>).</p> <p>The .JSON file resides in your <code>\Base\Settings</code> folder (or the <code>Role_XXX</code> folder if the user interface is configured by role).</p> <p>You can also rename the file using the Save as function from within the Visual Designer. You will be prompted to indicate the type of web view you want to save (i.e. Avanti or SYSPRO Client).</p>
7. Custom software	<ul style="list-style-type: none">Any previously installed custom software (developed in the same technology as SYSPRO) should be re-installed or verified that it functions as expected in SYSPRO 8.
8. Reports	<ul style="list-style-type: none">Ensure that all Report Writer and SYSPRO Reporting Services reports work as required.
9. Confirm software	<ul style="list-style-type: none">Verify that the software works as expected.
10. Financial checks	<ul style="list-style-type: none">Check all your balances against the balances printed prior to the upgrade and conversion.

Check	Description
11. Operator login	<ul style="list-style-type: none"> ■ Deselect the Prevent further logins setup option in the Company Setup program. This allows users to log back into the system. ■ Notify users that they can now use the new software.
12. Third party applications	<ul style="list-style-type: none"> ■ Any previously installed third party applications may need to be re-installed or updated to work with SYSPRO 8. ■ Check with the relevant third party developers for further information.
13. Custom tiles	<ul style="list-style-type: none"> ■ If you had custom tiles in the SYSPRO 7 Update 1 <code>Custom program</code> folder, you need to manually move these to the <code>\Plugin\CustomStore</code> folder in SYSPRO 8. <p> Custom tiles are named <code>CX_Tile*.SQL</code>.</p>
14. Analytics	If you are an Analytics user (and your existing Analytics site databases are on SYSPRO 7 Update 1) ensure that you manually migrate and update your site databases inside the Analytics program.
15. Archive Migration <i>(Optional)</i>	If during the data migration you elected not to convert your archive data, you have the option of performing this at a later stage using the Archiving Migration program.
16. Bin to Serial Linkage <i>(Optional)</i>	<p>If you want to make use of the new improved Bin to Serial Linkage feature (which enables you to accurately determine where serials reside in a warehouse from the perspective of bins) enable the Associate serials by bin setup option (<i>Setup Options > Configuration > Distribution > Inventory</i>).</p> <p>For more information on this feature, please refer to the Bin to Serial Linkage reference guide.</p>



SYSPRO 8 Hotfixes

A hotfix is the minimum software required to provide a solution for a specific problem experienced by one or more customers. These can also include any relevant dependencies.

SYSPRO provides hotfixes as a way of deploying software updates during the release of **SYSPRO 8**.

Types of hotfixes available include:

- **Mandatory Hotfix**
- **Optional Hotfix**
- **Diagnostic Hotfix**
- **Restricted Hotfix**
- **Withdrawn Hotfix**

Hotfixes are available from the **SYSPRO Installer** application.

Please refer to the **SYSPRO Hotfixes** reference guide for a detailed explanation.

Archive Migration

When running the **Data Conversion** program, you are given the option to defer the conversion/migration of your archived data.

The **Archiving Migration** program lets you complete the migration of that data from SYSPRO 7 format to SQL in SYSPRO 8.

- ECC BOM archive (XML)
- WIP archive (XML)
- Sales order archive (XML)
- Lot archive (ISAM)



Archived data will not be available in **SYSPRO 8** until it has been converted using this program.

For more detailed information regarding the **Archiving Migration** program, please refer to the **Archiving Migration** reference guide.

SYSPRO 8 Considerations

Architecture

Architecture enhancements

Various improvements have been made to the architecture of **SYSPRO 8** to future-proof the product and plan for innovative development.


e.net Communication Load Balancer service

As **SYSPRO 8** strives towards sophisticated simplicity, we have enhanced how the client-server and e.net environments work:

- The **SYSPRO 8 Communications Service** is used for client-server communications, as this is a faster, more secure, 64-bit and firewall-friendly communication method.
- Specific client components (e.g. VBScript, SRS, Predictive search, etc.) use the **SYSPRO 8 e.net Communications Load Balancer** service to call the relevant business objects.

This is a more secure, scalable, robust, 64-bit method of running e.net business objects.

- All third party apps access SYSPRO via the **SYSPRO 8 e.net Communications Load Balancer** service.





Web Views

Prior to **SYSPRO 8 2019 R1**, any customized web view by operator or role surfaced in both SYSPRO and **SYSPRO Avanti**.

From **SYSPRO 8 2019 R1** onwards, however, you must explicitly state whether a web view is targeted for SYSPRO or **SYSPRO Avanti**.

Because any pre-existing web view is assumed to be for **SYSPRO Avanti**, if you want existing SYSPRO web views to appear in later versions of SYSPRO, you must rename the .JSON file to include a `_SYSPRO` extension (e.g. `UX_OperatorCode_ProgramLZ_SYSPRO.JSON`).

The .JSON file resides in your `\Base\Settings` folder (or the `Role_xxx` folder if the user interface is configured by role).

You can also rename the file using the **Save as** function from within the **Visual Designer**. You will be prompted to indicate the type of web view you want to save (i.e. **Avanti** or **SYSPRO Client**).

Document Flow Manager

SYSPRO 8 includes major architectural changes to **Document Flow Manager** (DFM). These include:

- Services installs
- Re-architected .Net Services
- Using Microsoft SQL Server for message queuing
- Improved user-interfaces for all DFM applications



SQL Server authentication

Description of change:	<p>The options for connecting to SQL Server has changed. In SYSPRO 7 Update 1, the System Setup program provided 3 options:</p> <ul style="list-style-type: none">■ SQL authentication (Operator login+pass)■ SQL authentication (ADMIN login+pass)■ Windows authentication <p>In SYSPRO 8, this has been simplified to 2 options:</p> <ul style="list-style-type: none">■ SQL authentication The SQL Server standard user information entries are used by default.■ Windows authentication <p>SYSPRO 8 also lets override this at operator level (using the Operator Maintenance program - which has new options allowing specific operators to have their own SQL Server user name and passwords).</p>
Reason:	Simplified system setup and the ability for customers to trace SQL Server usage by SQL login.

VBScripts to use CallBo function rather than 'enetguid' variable

Description of change:	<p>When creating a VBScript in SYSPRO 7 Update 1 and prior versions, a special variable named <code>enetguid</code> was available. This legacy variable was required in older VBScripts to invoke an e.net business object.</p> <p>This logic was superseded several versions ago, by allowing you to use the simpler CallBo function call to invoke e.net business objects.</p> <p>So, if you have previously used the <code>enetguid</code> variable, you need to recode your VBScript to use the CallBo function.</p>
Reason:	Simpler process.

Business Objects

Custom Form Query

Description of change:	From SYSPRO 8 onwards, only authorized operators will be able to run direct calls to the COM Custom Form Query (COMQFM) business object. However, operators who run calls to this business object via another business object (e.g. INVQRY - Inventory Query) are unaffected.
Reason:	Improved security.

Custom COBOL applications

The following `IMPACT.INI` entries are **obsolete** for **SYSPRO 8**



Values in square brackets [] indicate the names when running in development mode:

- `IMPPRG=`

For **SYSPRO 8** there are fixed locations for 32-bit and 64-bit programs:

- `\Programs [\PRG]`
- `\Programs64 [\PRG64]`

- `IMPGUI=`

For **SYSPRO 8** there are fixed locations for client screensets:

- `\Screens [\GUI]`

- `CUSPRG=`

For **SYSPRO 8** there are fixed locations for custom 32-bit and 64-bit programs:

- `\Plugin\CustomPrograms`
- `\Plugin\CustomPrograms64`

`CUS*.IMP` files previously located in the custom program folder are now located in:

- `\Plugin\CustomStore`

- `CUSGUI=`

For **SYSPRO 8** there are now fixed locations for custom client screensets:

- `\Plugin\CustomScreens`

Technologies and features no longer supported in SYSPRO 8

In addition to focusing on SQL Server for improved scalability and availability and future-proofing your systems, **SYSPRO 8** is also about simplifying the system where possible. For this reason, some options have been simplified and/or removed as part of this process. In all cases the options that remain provide for improved scalability, performance, availability and/or security.

-  The **SYSPRO 8 Readiness Check** program (run from within **SYSPRO 7 Update 1**) performs a number of validation checks when determining if your system is ready to be upgraded and will advise on some of the technologies that are no longer supported.

SQL Connections

Removed:	Connecting to Microsoft SQL Server using an ODBC DSN
Reason:	Prevents setup requirements and resulting issues with native ODBC drivers
Replaced by:	SQL Server connection strings  Already the preferred option in SYSPRO 7 Update 1 .

Custom Form data format

Removed:	Support for a single table storing all custom form data
Reason:	Poor scalability, poor data accessibility and poor performance as data grows
Replaced by:	Separate tables per master table  Already the preferred option in SYSPRO 7 Update 1 .

Client-Server communication technology

Removed:	Client-server communication using legacy CCI technology
Reason:	Inappropriate port handling over a firewall, and poor resilience when reduced network stability



Replaced by:	SYSPRO 8 Communications Service using Microsoft WCF technology
	 Already the preferred option in SYSPRO 7 Update 1 .

Web-based applications

Removed:	Web-based applications using the legacy HTML interface
Reason:	Very limited functionality and no customization available, based on legacy technologies
Replaced by:	SYSPRO Espresso mobile solutions provides functionality available in the web-based applications, is highly customizable, provides off-line functionality, etc.

SAP Crystal 2008

Removed:	Support for SAP Crystal 2008
Reason:	Crystal 2008 is no longer supported by the OEM vendor
Replaced by:	The new version to use is SAP Crystal 2013

ISAM

Removed:	Support for ISAM data format
Reason:	Lower performance, increased file system usage, poor data integrity, etc.
Replaced by:	Microsoft SQL Server provides enterprise-strength Data Integrity, Security, Scalability, Availability, Simplicity and Performance that can be accessed by all popular querying and reporting tools.



Preactor integration

Removed:	Preactor integration is no longer supported in SYSPRO 8 .
Replaced by:	<i>SYSPRO's Manufacturing Operations Management (SYSPRO MOM)</i> is a complete solution for manufacturing companies that includes: <ul style="list-style-type: none">▪ Scheduling▪ Planning▪ Equipment▪ Employees▪ Dashboards

Encore.dll via e.net Communications Service

 For more information, please read the **SYSPRO e.net Solutions** article (*SYSPRO 8 Help > RESOURCES > Reference Guides*).

Removed:	Direct calls to <code>Encore.dll</code> are no longer available.
Reason:	<p>Directly referencing <code>Encore.dll</code> using COM/DCOM limits applications to 32-bit as well as SYSPRO's future expandability.</p> <p>In addition, any third party applications referencing the SYSPRO DLL's directly make it difficult for SYSPRO to easily enhance the system without requiring each third party application to also be changed.</p> <p> Web Services are still supported, so developers who have previously used Web Services will work unchanged.</p>



Replaced by:

Using the **SYSPRO 8 e.net Communications Load Balancer** service de-couples applications from the e.net 64-bit library and provides excellent scalability and performance.

Additional benefits:

- No limitation of being tied to a specific technology (e.g. 32-bit, etc.)
- The system is more robust as any failures don't prevent the system from continuing on the other threads.
- The system is multi-threaded and has a significantly improved performance under load.
- Third party applications can reside on any server/computer that has access to the endpoint.



www.syspro.com

Copyright © SYSPRO. All rights reserved.
All brand and product names are trademarks or
registered trademarks of their respective holders.