WMS License Plate Numbering

Syspro 8

Reference Guide

Published: October 2026



syspro

CONTENTS

Topic: WMS License Plate Numbering

Exploring 1
Starting 6
Solving 9
Using 15

Topic: WMS License Plate Numbering

We introduced an enhanced method for managing stock inventory within **Syspro Warehouse Management ERP** by enabling **WMS License Plate Numbering** (LPNs) to treat a pallet as a single, scannable unit while retaining item-level visibility. Teams scan one pallet (LPN) to receive, move, and pick, with real-time updates to pallet and item balances that accelerate put-away and picking and reduce scans and errors.

Exploring

Where it fits in?

License Plate Numbering and Containerization System enhance warehouse control by assigning a unique, scan-ready identifier to each container (e.g., pallet, box, cage), enabling receiving, put-away, transfers, picking, and counting at the container level for improved accuracy, traceability, and throughput. It supports full-container movements to reduce capture effort, as well as partial (split) handling when needed, with container-aware label printing and validation throughout the process.

Syspro embeds LPNs across core workflows – automatic or selected LPNs during receipts, LPN-aware transfers and put-aways, allocation and picking by LPN, and stock take at LPN granularity, while Container Types (with dimensions, capacity limits, and label formats) govern operational controls and output. Enabling LPNs is a company-level change that cannot be reversed. A conversion step is provided to assign all existing on-hand stock to LPNs before routine processing continues.

Benefits

- LPNs improve accuracy and traceability by uniquely identifying every item, case, or pallet, especially when adopting a one Stock code per LPN practice, making it easier to follow movements and manage recalls or other quality-control events.
- It boosts efficiency and productivity by enabling quick scanning and automated updates during picking, packing, and put-away processes
- It provides real-time visibility and control, giving warehouse teams instant insight into inventory movements and status for faster, smarter decision-making.

Functionality

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- This ***License Plate Numbering and Containerization System*** functionality forms part of the Syspro core Warehouse Management system.
- Enabling LPNs is a one-way change that affects all inventory processing. Once the **USE LICENSE PLATE NUMBERS** setup option (*Setup Options > Configuration > Distribution > Inventory*) has been selected, you will need to run an LPN conversion of existing stock using **License Plate Number Conversion**[1] (*Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup*) or **Stock Take LPN Conversion**[2] (*Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization*).
- LPNs assign a unique identifier to each container (e.g., pallet, box, cage) holding stock. All core warehouse activities, receiving, put-away, transfers, allocations/picking, stock take, operate at the LPN level to drive accuracy, traceability, and efficiency.



Enabling the **USE LICENSE PLATE NUMBERS** setup option is a system-wide change. You can still switch this option off untill you run the **LPN conversion** (or create an LPN). However, once the conversion has been performed (or an LPN has been created), the option cannot be disabled. After enabling, run either **License Plate Number Conversion**[3] (*Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup*) or **Stock Take LPN Conversion**[4] (*Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization*) programs to ensure that all stock items currently held in bins are placed in LPNs across the required warehouses, before you continue with day-to-day processing.

- LPNs are generated or selected during receiving, used within the PO, Job, and Inventory Receipts, where you can auto-generate an LPN or select an existing LPN in the receiving bin.
- Inventory Movements support full container (whole LPN) transfers (no stock/lot/serial capture), and partial (split) moves with content validation. Destination LPNs must be valid for the target bin, and parent-child LPNs move together with 'awaiting movement' status when raised.
- Allocation and picking by LPN – Sales Order and WIP allocations consume stock from specific LPNs, override allocation validates stock/lot/serial/location, and full LPN picks must be confirmed as a quantity of 1 (or 0), with marshalling and related picking views showing LPN columns.
- Stock take at LPN granularity – LPNs can be selected, captured, and confirmed in stock take; any uncounted LPNs are either moved to **Lost and Found Warehouse Review** or adjusted to zero per setup, with detailed capture down to lots/serials when required.

[1]Program: WHMPCO
[2]Program: INVP6X
[3]Program: WHMPCO
[4]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- Container type governance and labeling – Container Types define dimensions, capacity constraints, stacking/flexible flags, and label formats, and can be set as defaults; stock codes may carry a default container to streamline receipts and pallet make up, and dedicated browses/maintenance programs manage this data

Navigation

The programs related to this feature are accessed from the **Program List** of the Syspro menu:

- *Program List > Warehouse Management > License Plate Numbering and Containerization System*

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Terminology

License Plate Number (LPN)

An LPN refer to an unique identifier assigned to a container that holds stock (e.g., pallet, carton, bin) for tracking through receiving, storage, movement, allocation/picking, dispatch, and counting.

An LPN may hold a single or multiple stock codes/lots depending on the setup options, **MULTIPLE STOCK CODES PER LPN**, **MULTIPLE LOTS PER LPN**). Core metadata includes warehouse, bin, container, created date/by, and statuses (ON HOLD, ARCHIVED, AWAITING PUT-AWAY, IN TRANSIT, IN STOCK TAKE)

Container Type

This refers to the physical type of container or storage (e.g., Pallet, Box, Cage) associated with an LPN, configured with dimensions, capacity, and label templates. Container Types are maintained in the **Container Maintenance**[1] program and **LPN CONTAINER SETUP**[2] business object, which include the description, dimensions, maximum weight/volume, flags (default, stacking allowed, flexible volume), and associated label format.

A single **global default container type** must always be defined. When selecting a new default it clears the previous one so only one default container type will always exists at a time.

An **optional default container** can be stored against the stock code (**Stock Code Maintenance**) and is used when generating LPNs during receipting, if no stock code default is supplied, the **global default container type** is used.

Parent LPN

This refers to an LPN that represents a larger container holding multiple child LPNs (e.g., a pallet holding boxes)

Child LPN

This refers to an LPN stored within a parent LPN. Only a single level of hierarchy is supported. Child LPNs are managed within the **LPN Parent Child Relationship**[3] program and **LPN PARENT-CHILD RELATIONSHIP**[4] business object.

LPN Conversion

LPN Conversion refers to a company-wide process performed after enabling the **USE LICENSE PLATE NUMBERS** setup option (*Setup Options > Configuration > Distribution > Inventory*) to ensure that all existing stock items currently held in bins are placed into LPNs.

[1]Program: WHMPCT
[2]Business object: WHMSCT
[3]Program: WHMPCP
[4]Business object: WHMTCP

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Run the **License Plate Number Conversion**[1] or **Stock Take LPN Conversion**[2] programs to complete the conversion.



Transactions cannot be posted once the setup option has been enabled, until conversion has been performed.

[1]Program: WHMPCO
[2]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Starting

Prerequisites

Setup Options

To use this feature, the following setup option(s) must be enabled/defined:

Setup Options > Configuration > Distribution > Inventory

Multiple bins

This requires entry of bins upon the receipt, issue or transfer of items and when capturing stock take information. The **Purge and Archive** program runs to ensure the default bin is inserted into existing lot records and their associated transactions against your traceable or ECC-controlled items. Run the **Balance** function of the **Order Purge** and **Inventory Period End** programs to ensure there are no quantities in ship without bin allocations and to transfer any qty on hand to the default bin.

Fixed bins

Only available in a SQL environment and if multiple bins is in use. Initially, all warehouses using multiple bins are flagged as fixed bin warehouses. The **Show Warehouses** hyperlink lets you switch off this facility selectively for warehouses. Fixed bins requires a bin to exist in the WhmBin table before you can transact against it. If the **CREATE BINS AT INVENTORY TRANSACTION** option is switched on, bins can only be created at transaction time for warehouses not using fixed bins.



The **Show Warehouses** hyperlink is also used to maintain the **WMS CONTROL** options against the warehouse (**Warehouse Maintenance**).

Use license plate numbers

This indicates that **WMS License Plate Numbering** is required. When enabled, existing stock items in bins are placed in LPNs.

When this setup option is enabled, stock must be received into a warehouse and the **ASSOCIATE SERIALS BY BIN** setup option must be enabled. Run the **License Plate Number Conversion**[1] or **Stock Take LPN Conversion**[2] program to ensure all stock items that are currently in bins are placed into LPNs. Transactions can't be posted if the conversion wasn't done.



This setup option can't be disabled after the conversion was done or a license plate number was created.

LPN options:

Multiple stock codes per LPN

This indicates whether multiple stock codes can be allocated to one license plate number.

[1]Program: WHMPCO
[2]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.



This setup option can't be disabled if multiple stock codes have been placed in an LPN.

Multiple lots per LPN

This indicates whether multiple lots can be allocated to one license plate number.



This setup option can't be disabled if multiple stock codes have been placed in an LPN.

Perform full LPN stock count

This indicates whether a stock count at license plate number level is required.



If you have the SERIAL TRACKING SYSTEM REQUIRED setup option enabled ensure to also switch on the ASSOCIATE SERIALS BY BIN setup option.

Setup Options > History > Distribution > Inventory

LPN archiving

Archive empty LPNs

This indicates whether archiving empty license plate numbers is required.

This only applies to LPNs with a zero stock level and where no stock movements have occurred within the number of days specified at the NUMBER OF DAYS TO RETAIN LPNS setup option.

Number of days to retain LPNs

This indicates the number of days for which you want to retain empty license plate numbers.

Security

You can secure this feature by implementing a range of controls against the affected programs. Although not all these controls are applicable to each feature, they include the following:

- You restrict operator access to *activities* within a program using the **Operator Maintenance** program.
- You can restrict operator access to the *fields* within a program (configured using the **Operator Maintenance** program).
- You can restrict operator access to *functions* within a program using passwords (configured using the **Password Definition** program). When defined, the password must be entered before you can access the function.
- You can restrict access to the eSignature *transactions* within a program at operator, group, role or company level (configured using the **Electronic Signature Configuration Setup** program). Electronic Signatures provide security access, transaction logging and event triggering that gives you greater control over your system changes.

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- You can restrict operator access to *programs* by assigning them to groups and applying access control against the group (configured using the **Operator Groups** program).
- You can restrict operator access to *programs* by assigning them to roles and applying access control against the role (configured using the **Role Management** program).

Restrictions and Limits

- Enabling the **USE LICENSE PLATE NUMBERS** setup option is a system-wide change. You can still switch this option off untill you run the **LPN conversion** (or create an LPN). However, once the conversion has been performed (or an LPN has been created), the option cannot be disabled.

  After enabling, run either **License Plate Number Conversion**[1] (*Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup*) or **Stock Take LPN Conversion**[2] (*Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization*) programs to ensure that all stock items currently held in bins are placed in LPNs across the required warehouses, before you continue with day-to-day processing.

[1]Program: WHMPCO
[2]Program: INVP6X


Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Solving

System messages

Error messages

License Plate Number (LPN) not activated



Cause

This message is displayed when any of the ***License Plate Numbering and Containerization System*** programs are run, but the setup option has not been enabled.

Solution

Enable the setup option **USE LICENSE PLATE NUMBERS** and follow the LPN Conversion process (**License Plate Number Conversion**[1]).

> **Containers** must be created before proceeding with the LPN Conversion process. Use **Container Maintenance**[2] (*Program List > Warehouse Management > License Plate Numbering and Containerization > Setup*) to create **Containers**. **Containers** can be set up prior to enabling the setup option **USE LICENSE PLATE NUMBERS**.


[1]Program: WHMPCO

[2]Program: WHMPCT

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Warning messages

Enabling License Plate Number(s) (LPNs) is irreversible



Cause

This message is displayed when the setup option **USE LICENSE PLATE NUMBERS** has been enabled.

Solution

Enabling LPNs is a one-way, company-wide change that cannot be reversed once conversion has been done or an LPN has been created. Proceed only after business sign-off and plan the LPN Conversion and rollout before enabling.

FAQs

How do I enable and configure the License Plate Numbering and Containerization System

Follow these steps to set up the License Plate Numbering and Containerization System:

1. Start by creating a single **global default container type** in **Container Maintenance**[1] (*Program List > Warehouse Management > License Plate Numbering and Containerization > Setup*). Multiple containers can be created, however, one default container is required for the **LPN conversion** process.

[1]Program: WHMPCT

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

> Containers can be created before enabling the setup option **USE LICENSE PLATE NUMBERS**

2. Enable the setup option **USE LICENSE PLATE NUMBERS** and then configure the **LPN OPTIONS** setup options (**MULTIPLE STOCK CODES PER LPN**, **MULTIPLE LOTS PER LPN**, **PERFORM FULL LPN STOCK COUNT**) (*Setup Options > Configuration > Distribution > Inventory*)

> Enabling the **USE LICENSE PLATE NUMBERS** setup option is a system-wide change. You can still switch this option off untill you run the **LPN conversion** (or create an LPN). However, once the conversion has been performed (or an LPN has been created), the option cannot be disabled. After enabling, run either **License Plate Number Conversion**[1] (*Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup*) or **Stock Take LPN Conversion**[2] (*Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization*) programs to ensure that all stock items currently held in bins are placed in LPNs across the required warehouses, before you continue with day-to-day processing.

3. Select one of the **LPN conversion** processes to ensure that all stock items currently held in bins are placed into License Plate Number(s) (LPNs).
4. Save the setup option changes.

LPN conversion processes:

> LPN conversion is typically a once-off process performed after enabling the setup option **USE LICENSE PLATE NUMBERS** (*Setup Options > Configuration > Distribution > Inventory*). Transactions cannot be posted until the conversion has been completed.

- ### License Plate Number Conversion

  The License Plate Number Conversion process is as follows:

  - Select the warehouse and indicate the bin selection to be converted.
  - Select **Start Review** to load the stock codes that require LPN conversion.

    > The conversion **listview** only displays stock codes with quantities that are not yet assigned to an LPN. Stock codes that are already fully assigned to an LPN are excluded from this list.

[1]Program: WHMPCO

[2]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The listview displays bin stock with **Unassigned Quantities** that require assignment to LPNs.
- Define how stock is split into containers. For each listed row, enter the **Quantity per container** to control how many units are assigned to each generated LPN.

> **FOR EXAMPLE:**
>
> If the **Unassigned quantity** is 100 and you want 10 units per container, enter 10 in **Quantity per container** so that the conversion generates 10 LPNs of 10 units each. If you enter 15, the conversion generates 7 LPNs in total: 6 LPNs of 15 units and 1 LPN of 10 units (to allocate the remaining quantity).



If no **Quantity per container** value is entered for a row, the conversion does not generate an LPN for that row.

- Select **Generate LPNs**
- Select the **View LPNs** hyperlink to review the License Plate Number(s) (LPNs) generated for the stock code based on the **Quantity per container** value entered.



The License Plate Number (LPN) format is a date+sequence format (CCYYMMDD+sequence). This will indicate a visible creation date in the number itself and rolling sequential number.

Stock Take LPN Conversion

The Stock Take LPN Conversion process is as follows:

You would typically follow this process to place existing stock codes into License Plate Number(s) (LPNs)



Stock take selection is the first step in the stock take process and saves a snapshot of quantities at the time you start the stock take. Inventory movements processed after selection are not reflected in the saved quantities.



When the **USE LICENSE PLATE NUMBERS** setup option is enabled, Syspro requires a conversion (using either **License Plate Number Conversion**[1] or **Stock Take LPN Conversion**[2]) to ensure stock currently held in bins is placed into LPNs.

[1]Program: WHMPCO

[2]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- Select **Stock Take Selection**, and indicate the **Warehouse** (or list of warehouses) for which you want to start the stock take.
- Select **Start Stock Code Review** to begin the stock take selection process. The selected warehouse and stock codes are placed into stock take.
- Use the selection criteria to indicate the warehouse that is currently in stock take.
- The **Stock code listview** is populated with the stock items in stock take that have not been allocated an LPN.
- Select **Create LPN** to create LPNs to be used for the conversion. (or select LPNs with zero quantities)
  - The **LPN Maintenance**[1] program will open.
  - Create or select the required LPNs.
  - If required, print the label for the LPNs.
- In the **Stock code listview**, select the stock code you want to allocate to an LPN.
- Update the **Quantity to assign** with the quantity you want to assign to the selected LPN.

  If the **quantity assigned** is less than the **quantity** remaining for the stock code, the remaining quantity stays in the listview so that it can be assigned to another LPN.
- Select **Assign selected**. The selected stock code and quantity to assign is moved to the **In License Plate Number (LPN) listview**.
- Select **Confirm** to allocate the staged stock code and quantity into the selected LPN
- The program updates the LPN allocation and removes the stock code that are now fully allocated to LPNs from the **Stock code listview.**
- Repeat this process until there are no remaining items for the warehouse that still require LPN allocation.
- You can then proceed to count and capture the LPN quantities as part of the stock take capture process.

Is enabling LPNs reversible, and what must I do immediately after switching it on?

Enabling the **USE LICENSE PLATE NUMBERS** setup option is a system-wide change. You can still switch this option off untill you run the **LPN conversion** (or create an LPN). However, once the conversion has been performed (or an LPN has been created), the option cannot be disabled.

[1]Program: WHMPLM

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

After enabling, run either **License Plate Number Conversion**[1] (*Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup*) or **Stock Take LPN Conversion**[2] (*Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization*) programs to ensure that all stock items currently held in bins are placed in LPNs across the required warehouses, before you continue with day-to-day processing.

Do I need to pre-create LPNs, or will the system generate them for me?

You will be able to do both:

- **Automatic:** LPNs are typically generated during **PO receipts**, **Job receipts**, **Inventory receipts**, and during **bin/warehouse transfers** when a destination LPN is required.
- **Manual:** Use the **LPN Maintenance**[3] when your process requires pre-printing/holding empty LPNs (e.g. labeling pallets before receiving)

Can an LPN contain multiple stock codes or multiple lots?

This is configuration-controlled. Ensure the MULTIPLE STOCK CODES PER LPN or MULTIPLE LOTS PER LPN setup options under LPN OPTIONS (*Setup Options > Configuration > Distribution > Inventory*) are enabled.


If disabled, the system blocks attempts to mix stock codes or lots within the same LPN

[1]Program: WHMPCO
[2]Program: INVP6X
[3]Program: WHMPLM

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Using

Process



Considerations

- Enabling License Plate Number(s) (LPNs) is a one-way, system-wide change. You must run the **License Plate Number Conversion**[1] program to place all current stock into LPNs immediately after enabling.
- Ensure one default **Container Type** has been configured prior to running the **License Plate Number Conversion**[2] program.
- Plan the order of warehouses which existing stock must be converted to LPNs to avoid overlapping processes.
- **Conversion** can't be run for warehouses that already have an active stock take underway.
- Decide, agree and set up operating rules up front determining whether you will enforce**MULTIPLE STOCK CODES PER LPN**, **MULTIPLE LOTS PER LPN**, and whether to allow **PERFORM FULL LPN STOCK COUNT** (boxes on a pallet). These setup options will control validations across receipts, put-aways, transfers, and allocations.
- Ensure label formats have been configured by **Container Type**.

Configuration and setup of the WMS License Plate Numbering

[1]Program: WHMPCO
[2]Program: WHMPCO

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Follow these steps to set up the License Plate Numbering and Containerization System:

1. Start by creating a single **global default container type** in **Container Maintenance**[1] (*Program List > Warehouse Management > License Plate Numbering and Containerization > Setup*). Multiple containers can be created, however, one default container is required for the **LPN conversion** process.

   Containers can be created before enabling the setup option **USE LICENSE PLATE NUMBERS**

2. Enable the setup option **USE LICENSE PLATE NUMBERS** and then configure the **LPN OPTIONS** setup options (**MULTIPLE STOCK CODES PER LPN**, **MULTIPLE LOTS PER LPN**, **PERFORM FULL LPN STOCK COUNT**) (*Setup Options > Configuration > Distribution > Inventory*)

   Enabling the **USE LICENSE PLATE NUMBERS** setup option is a system-wide change. You can still switch this option off untill you run the **LPN conversion** (or create an LPN). However, once the conversion has been performed (or an LPN has been created), the option cannot be disabled. After enabling, run either **License Plate Number Conversion**[2] (*Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup*) or **Stock Take LPN Conversion**[3] (*Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization*) programs to ensure that all stock items currently held in bins are placed in LPNs across the required warehouses, before you continue with day-to-day processing.

3. Select one of the **LPN conversion** processes to ensure that all stock items currently held in bins are placed into License Plate Number(s) (LPNs).
4. Save the setup option changes.

LPN conversion processes:

LPN conversion is typically a once-off process performed after enabling the setup option **USE LICENSE PLATE NUMBERS** (*Setup Options > Configuration > Distribution > Inventory*). Transactions cannot be posted until the conversion has been completed.

[1]Program: WHMPCT

[2]Program: WHMPCO

[3]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

License Plate Number Conversion

The License Plate Number Conversion process is as follows:

- Select the warehouse and indicate the bin selection to be converted.
- Select **Start Review** to load the stock codes that require LPN conversion.

> The conversion listview only displays stock codes with quantities that are not yet assigned to an LPN. Stock codes that are already fully assigned to an LPN are excluded from this list.

- The listview displays bin stock with **Unassigned Quantities** that require assignment to LPNs.
- Define how stock is split into containers. For each listed row, enter the **Quantity per container** to control how many units are assigned to each generated LPN.

> **FOR EXAMPLE:**
>
> If the **Unassigned quantity** is 100 and you want 10 units per container, enter 10 in **Quantity per container** so that the conversion generates 10 LPNs of 10 units each. If you enter 15, the conversion generates 7 LPNs in total: 6 LPNs of 15 units and 1 LPN of 10 units (to allocate the remaining quantity).

> If no **Quantity per container** value is entered for a row, the conversion does not generate an LPN for that row.

- Select **Generate LPNs**
- Select the **View LPNs** hyperlink to review the License Plate Number(s) (LPNs) generated for the stock code based on the **Quantity per container** value entered.

> The License Plate Number (LPN) format is a date+sequence format (CCYYMMDD+sequence). This will indicate a visible creation date in the number itself and rolling sequential number.

Stock Take LPN Conversion

The Stock Take LPN Conversion process is as follows:

You would typically follow this process to place existing stock codes into License Plate Number(s) (LPNs)

> Stock take selection is the first step in the stock take process and saves a snapshot of quantities at the time you start the stock take. Inventory movements processed after selection are not reflected in the saved quantities.

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- When the **USE LICENSE PLATE NUMBERS** setup option is enabled, Syspro requires a conversion (using either **License Plate Number Conversion**[1] or **Stock Take LPN Conversion**[2]) to ensure stock currently held in bins is placed into LPNs.
  - Select **Stock Take Selection**, and indicate the **Warehouse** (or list of warehouses) for which you want to start the stock take.
  - Select **Start Stock Code Review** to begin the stock take selection process. The selected warehouse and stock codes are placed into stock take.
  - Use the selection criteria to indicate the warehouse that is currently in stock take.
  - The **Stock code listview** is populated with the stock items in stock take that have not been allocated an LPN.
  - Select **Create LPN** to create LPNs to be used for the conversion. (or select LPNs with zero quantities)
    - The **LPN Maintenance**[3] program will open.
    - Create or select the required LPNs.
    - If required, print the label for the LPNs.
  - In the **Stock code listview**, select the stock code you want to allocate to an LPN.
  - Update the **Quantity to assign** with the quantity you want to assign to the selected LPN.

    If the **quantity assigned** is less than the **quantity** remaining for the stock code, the remaining quantity stays in the listview so that it can be assigned to another LPN.
  - Select **Assign selected**. The selected stock code and quantity to assign is moved to the **In License Plate Number (LPN) listview**.
  - Select **Confirm** to allocate the staged stock code and quantity into the selected LPN
  - The program updates the LPN allocation and removes the stock code that are now fully allocated to LPNs from the **Stock code listview.**
  - Repeat this process until there are no remaining items for the warehouse that still require LPN allocation.
  - You can then proceed to count and capture the LPN quantities as part of the stock take capture process.

[1]Program: WHMPCO

[2]Program: INVP6X

[3]Program: WHMPLM

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Status Codes

License Plate Number (LPN) statuses

The following indicates the possible status codes that can be assigned to a License Plate Number (LPN). These statuses are implemented on header-level flags on the LPN record (i.e. the field used to control whether an LPN can be selected/processed in receipts, movements, allocations, picking, and stock take)

Status	Description
ON HOLD	This indicates that the LPN is temporarily blocked from operational processing. It is used to restrict processing until the relevant action/task is completed or the hold is cleared (e.g., it cannot be moved/allocated/picked while on hold)
AWAITING PUT-AWAY	This indicates the LPN has been created/received and is pending put-away.
IN TRANSIT	This status indicates that the LPN is in a transfer state (e.g., Goods-In-Transit processing) and is not available for normal selection until it is received/confirmed at the destination.
IN STOCK TAKE	This indicates the LPN is currently part of an active stock take process, and operations on an LPN are not allowed when this flag is set.
ARCHIVED	This indicates the LPN is no longer operationally active and is retained for audit/history purposes. Setup option **LPN ARCHIVING** (*Setup Options > History > Distribution > Inventory*) must be configured.

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Affected programs

The following indicates areas in the product that may be affected by implementing this feature:

Setup programs

LPN Maintenance

Program List > Warehouse Management > License Plate Numbering and Containerization > Setup

This program lets you create and maintain License Plate Number(s) (LPNs), either as a standalone program or when launched from other LPN-enabled processes. Generate empty LPNs, print LPN labels, and change the hold status for existing LPNs.

LPN Parent Child Relationship

Program List > Warehouse Management > License Plate Numbering and Containerization > Setup

This program lets you assign one or more child License Plate Number(s) (LPNs) to a parent LPN to create and maintain a parent-child relationship for container tracking, based on the parent LPN context passed from the calling program (**License Plate Number Query**[1]).

> **FOR EXAMPLE:** Cartons assigned to a pallet.

Container Maintenance

Program List > Warehouse Management > License Plate Numbering and Containerization > Setup

This program lets you add and maintain container types (including dimensions/capacity and label template), set a single default container used when no stock code default is defined (selecting a new default clears the previous one), and define the label template to control the label format printed for the container.

Setup Options Configuration

Setup Options > Configuration > Distribution > Inventory

The following indicates areas in the product that may be affected by implementing this feature:

- New setup options (**USE LICENSE PLATE NUMBERS**) were added under **Inventory** to enable the use of WMS License Plate Numbering.

Setup Options History

Setup Options > History > Distribution > Inventory

The following indicates areas in the product that may be affected by implementing this feature:

- A new **LPN ARCHIVING** setup option was added under **Inventory** to maintain the archiving settings used by the **Inventory Period End** program when evaluating which LPNs must be archived.

[1]Program: WHMPLE

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The **LPN ARCHIVING** setup option is only available after the setup option **USE LICENSE PLATE NUMBERS** (Syspro Ribbon bar > Setup > Setup Options > Configuration > Distribution) is enabled.

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Stock Code Maintenance

Program List > Inventory > Setup

This program lets you capture and maintain details of stock items that your company uses or sells.

The following indicates areas in the product that may be affected by implementing this feature:

- A new **Default container** field has been added under **Replenishment Details**. This indicates the default container for the selected stock code, and not the **global default container** created under **Container Maintenance**[1]. If no default container is defined the **global default container** will be used.

Pick Maintenance

Program List > Sales Orders > Picking

This program lets you maintain order picks.

The following indicates areas in the product that may be affected by implementing this feature:

- The program has been enhanced to display the LPN selected during **Sales Order Pick Allocation Override** by adding a new License plate number column to the Pick Detail Lines listview.

Sales Order Pick Allocation Override

This program can't be run standalone and is accessed from **Pick Maintenance**[2]

This program lets you override the stock item that was originally allocated to the pick.

The following indicates areas in the product that may be affected by implementing this feature:

- The program has been enhanced for LPN processing by adding a new **License Plate Number (LPN) field** on the form and a new **LPN column** in the listview. This enables you to identify the LPN context when reviewing or changing pick allocations, alongside the existing allocation override information displayed.

Transaction Processing programs

LPN Pallet Makeup

This program lets you allocate the receipted quantity into one or more LPNs/containers (with optional label printing), by calling the **LPN PALLET MAKE UP**[3] business object for processing and validations. It remains active per line until the quantity is fully assigned, rolling back any created LPNs if the originating receipt/credit note processing fails or is canceled.

License Plate Number Conversion

Program List > Warehouse Management > License Plate Numbering and Containerization System > Setup

[1]Program: WHMPCT
[2]Program: SORPPM
[3]Business object: WHMTPL

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

This program lets you convert existing stock items currently held in bins into **License Plate Numbers (LPNs)**, so that all in-bin stock is placed into **LPNs** before you continue processing transactions.

You typically run this program after enabling the **USE LICENSE PLATE NUMBERS** setup option to ensure all existing bin stock is placed into LPNs; transactions cannot be posted until the conversion is completed.

Stock Take by License Plate Number

Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization

This program lets you capture stock take counts by License Plate Number(s) (LPNs), including drilling into LPN details to add or remove items within an LPN during counting.

Stock Take Capture LPN Details

Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization

This program lets you maintain the details of a selected License Plate Number(s) (LPNs) during stock take by calling the **LPN STOCK TAKE CAPTURE**[1] business object to add, change, or delete individual LPN detail lines (including enabling capture quantity/reference updates and, where applicable, lot expiry and ECC Revision and Release).

The program is only accessible from **Stock Take by License Plate Number**[2] and cannot be run standalone.

Sales Order Entry

Program List > Sales Orders > Sales Order Processing

This program lets you record and maintain various types of sales orders.

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to invoke the **LPN Pallet Makeup**[3] program immediately before the credit note invoice is printed. The related stock is only receipted back into inventory at the point of invoicing.

RMA Issues and Receipts

Program List > Sales Orders > Return Merchandise > Transaction Processing

The following indicates areas in the product that may be affected by implementing this feature:

[1]Business object: INVT6M
[2]Program: INVP6N
[3]Program: WHMPLP

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The program was enhanced to invoke the **LPN Pallet Makeup**[1] program when **End Order** has been selected. Relevant details must be captured first before the **End Order** screen displays.

Job Receipts

Program List > Work in Progress > Job Postings

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to invoke the **LPN Pallet Makeup**[2] program when **End Order** has been selected. Relevant details must be captured first before the **End Order** screen displays.

Stock Take Capture

Program List > Inventory > Stock Take System > Transaction Processing

The following indicates areas in the product that may be affected by implementing this feature:

- In a company where **USE LICENSE PLATE NUMBERS** setup option is enabled, the Stock Take Capture process does not load program **Stock Take Capture**. **Stock Take by License Plate Number**[3] will load instead.

Inventory Movements

Program List > Inventory > Transaction Processing

This program lets you process transactions against your stock items.

These transactions (although unrelated to any sales transaction) affect the movement of inventory throughout the company.

The following indicates areas in the product that may be affected by implementing this feature:

- **Receipt** Transaction type
  - The following new fields were added:
    - **Split to multiple LPNs** check box (when this option is selected and **Post**, the **LPN Pallet Makeup**[4] program will open)
    - **Create new LPN** check box
    - **Container** entry field
    - **License Plate Number (LPN)** entry field.
- **Adjustments** Transaction type

[1]Program: WHMPLP
[2]Program: WHMPLP
[3]Program: INVP6N
[4]Program: WHMPLP

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The following new field was added:
  - **License Plate Number (LPN)** entry field.
- **Expense Issues** Transaction type
  - The following new field was added:
    - **License Plate Number (LPN)** entry field.
- **Bin Transfers** Transaction type
  - The following new fields were added:
    - **From LPN**
    - **Move full LPN** check box (when selected the **From LPN** will be disabled, and the full **Quantity** will be added). The check box can be unselected, and the **Quantity** be adjusted.
    - License Plate Number (LPN) details:
      - **Create new LPN** (Yes, No, Keep source LPN)
      - **Destination LPN**
      - **Destination container**
      - **Parent LPN**
  - **Put-Away - Warehouse Transfer** Transaction type
    - The following new field was added:
      - **License Plate Number (LPN)** entry field.
  - **Put-Away - Bin Transfer** Transaction type
    - The following new fields were added:
      - **License Plate Number (LPN)** entry field
      - License Plate Number (LPN)details:
        - **Create new LPN** (Yes, No)
        - **Destination LPN**
        - **Destination container**
        - **Parent LPN.**
  - **Transfer Out**Transaction type
    - The following new fields were added:
      - **From LPN**
      - **Move full LPN** check box
  - **Immediate Transfers** Transaction Type

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The following new fields were added:
  - From LPN
  - Move full LPN
  - License Plate Number (LPN)details:
    - **Create new LPN** (Yes, No)
    - **Destination LPN**
    - **Destination container**
    - **Parent LPN.**
- **No Destination Transfers** Transaction type
  - The following new field was added:
    - License plate number
- **Backflushing** Transaction type
  - The following new fields were added:
    - License Plate Number (LPN)details:
      - **Split to multiple LPNs**
      - **Create new LPN**
      - **License plate number**
      - **Destination container**

Purchase Order Receipts

Program List > Purchase Orders > Purchase Order Processing

This program lets you process receipts against purchase orders that were captured using the **Purchase Order Entry** program.

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to invoke the **LPN Pallet Makeup**[1] program when **End Order** has been selected. Relevant details must be captured first before the **End Order** screen displays.

Bins, Lots & Serial Allocation

This program lets you capture lot, bin and serial details when issuing material allocations to jobs or releasing stock for customer orders.

The following indicates areas in the product that may be affected by implementing this feature:

[1]Program: WHMPLP

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The program was enhanced by adding a new License Plate Number (LPN) field on the form as well as a new **LPN column** in the allocation listview.
- This enables you to associate and review allocations at LPN level where applicable.

WIP Reserve Lots & Serials for Job

You use this program to reserve lots and/or serials for parent parts and components or to maintain previously reserved lots and serials.

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced by adding a new **License Plate Number (LPN)** form field (with a browse) and a new **LPN column** in the listview.

SO Add Serial Numbers

You use this program to capture serial numbers that you want to allocate to a sales order line or a job, or to reserve for a job.

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced for LPN-enabled sales order processing so that when you add serial numbers from **Bins, Lots & Serial Allocation** (via the **Create Serials** function), the program can accept a License Plate Number (LPN) passed from the calling allocations program and add the newly captured serials against that LPN. This ensures that serials captured during allocations are associated with the correct container context, while retaining the existing capability to add either a single serial or a range of serial numbers using the program's standard **New** and **Range** functions.

Period End programs

Inventory Period End

Program List > Inventory

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to support License Plate Number (LPN) archiving by evaluating the LPN retention settings and automatically archiving qualifying LPNs during period end processing.
- Archiving is only performed when **LPN ARCHIVING** is enabled in setup options (*Setup Options > History > Distribution > Inventory*)
- The program validates the configured retention period (days) against each LPN and only archives an LPN if it has been completely inactive for the full retention period (for example, no movement activity for 100 days if retention is set to 100)

Batch programs

Pick Confirmation

Program List > Warehouse Management > Picking > Transaction Processing

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

This program lets you confirm lines on a sales order pick.

The following indicates areas in the product that may be affected by implementing this feature:

- Two new columns have been added to the **Pick** listview:
  - **LPN:** This contains the LPN number.
  - **Pick Full LPN:** This indicates that the pick line was created as a full-container (parent LPN=pallet) pick, therefore the entire LPN must be picked and confirmed as a single unit rather than picking part quantities from it.

Marshalling

Program List > Warehouse Management > Picking > Transaction Processing

This program lets you consolidate, split, and package picks (i.e. place picks in an outer) in preparation for dispatch.

The following indicates areas in the product that may be affected by implementing this feature:

- Two new columns have been added to the **Available for Packing** listview:
  - **LPN:** This contains the LPN number.
  - **Unit quantity:** This refers to the quantity of the stock items inside the LPN. It can be split into different outers.
- A new column has been added to the **In Outer** listview

Stock Take Selection

Program List > Inventory > Stock Take System > Transaction Processing

This program lets you select the stock codes you want to include in a stock take count. The selection of stock items to count is the first step in the stock take process.

The following indicates areas in the product that may be affected by implementing this feature:

- A new option, **License Plate Number selection**, has been added to the selection criteria. This option will filter on the LPNs that must be added to the stock take.



The new filter option is only visible when **License Plate Numbering** has been activated under the**USE LICENSE PLATE NUMBERS** setup option (Syspro Ribbon bar > Setup > Setup Options > Configuration > Distribution)

Cycle Count Maintenance

Program List > Inventory > Cycle Counting System > Transaction Processing

This program lets you create and maintain cycle counts.

The following indicates areas in the product that may be affected by implementing this feature:

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The program has been amended to allow the capture of LPNs.
- A new **License Plate Number (LPN)** selection criteria has been added to the **Cycle Count Schedule Maintenance** selection criteria.
- A new **License Plate Number (LPN)** column has been added to the listview containing a hyperlink to count and confirm the contents of the LPNs.

LPN Stock Take Selection

Program List > Warehouse Management > Stock Take System > Transaction Processing > License Plate Numbering and Containerization

This program lets you select one or more warehouses into stock take as part of the **Stock Take LPN Conversion**[1] process.

Import programs

Stock Take Import

The following indicates areas in the product that may be affected by implementing this feature:

- In a company where **USE LICENSE PLATE NUMBERS** setup option is enabled, the Stock Take Import process does not load program **Stock Take Import**. **Stock Take by License Plate Number**[2] will load instead.

Report and Update

Sales Order Batch Invoicing

Program List > Sales Orders > Sales Order Processing

This program lets you generate sales order documentation in batch mode.

The following indicates areas in the product that may be affected by implementing this feature:

- This program has been updated for LPN-enabled sales order processing to ensure that LPNs associated with a sales order line are correctly invoiced and that the related LPN shipping quantities are brought into line with the invoiced quantities.
- Invoicing a sales order line, the program now reduces (or clears) the ship quantities held against the line's LPN allocation record in the SorDetailLpn table, and when the full ship quantity has been invoiced the corresponding sales order line record is clear/removed to reflect completion of the shipment and invoice cycle.

Report programs

LPN Container Label Print

Program List > Warehouse Management > License Plate Numbering and Containerization > Reports

[1]Program: INVP6X
[2]Program: INVP6N

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

This report lets you print a container label by retrieving LPN details from the **LPN QUERY**[1] business object.

Container Usage Report

Program List > Warehouse Management > License Plate Numbering and Containerization > Reports

This report lets you use the **Container Query**[2] output to review container utilization, including container locations, counts in use by location, archived containers, empty containers, full/particaly filled containers, and dispatched containers.

LPN Detail Report

Program List > Warehouse Management > License Plate Numbering and Containerization > Reports

This report lets you produce a detailed License Plate Numbering report that list each LPN and provides a breakdown of its stock code contents and related lower-level detail (for example, lot/serial-level information where applicable)

LPN Container History Report

Program List > Warehouse Management > License Plate Numbering and Containerization > Reports

This report lets you review the transaction history and content changes for a specific License Plate Number (LPN) by using the **LPN QUERY**[3] business object to return and render the LPN activity details.

LPN Container Movement History Report

Program List > Warehouse Management > License Plate Numbering and Containerization > Reports

This report lets you generate an LPN movement history for a specific License Plate Number (LPN) or a list of LPNs by using the **LPN TRANSFER**[4] business object to return and print relevant transaction history.

Query programs

License Plate Number Query

Program List > Warehouse Management > License Plate Numbering and Containerization System

This program lets you query and review License Plate Number(s) (LPNs) in a warehouse using a review criteria pane to filter the LPNs you want to see, and a results pane to drill into LPN details and history.

Container Query

Program List > Warehouse Management > License Plate Numbering and Containerization

[1] Business object: WHMQLP
[2] Program: WHMPCQ
[3] Business object: WHMQLP
[4] Business object: WHMTTF

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

This program lets you query and view container type details by calling the **CONTAINER QUERY**[1] business object and returning the relevant container information for review.

The program forms part of the Warehouse Management functionality that improves visibility of inventory containers and their related usage.

Inventory Query

Program List > Inventory

The following indicates areas in the product that may be affected by implementing this feature:

- A new hyperlink under **Queries** for License Plate Numbering will open the **License Plate Number Query**[2] program. This program will display all LPNs associated with the in-memory stock code.

Warehouse Bin Query

Program List > Inventory > Warehouse Management

This program lets you browse warehouses and view the bins (and their contents) within those warehouses.

The following indicates areas in the product that may be affected by implementing this feature:

- The **Bin LPN Detail** listview is included to display the **License Plate Number (LPN)** details

Pick Query

Program List > Sales Orders > Picking

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to return the **License Plate Number (LPN)** that are associated with the pick lines, improving visibility of container-based picking activity within the query results.
- A new output indicator was added to identify whether the picker is picking the full **License Plate Number (LPN)** (whole-container pick) or picking single units from within the LPN, enabling clearer distinction between full-container and unit-based picking scenarios.

WIP Pick Query

Program List > Work in Progress > WIP Picking > Transaction Processing

This program lets you view WIP pick headers and detail lines.

The following indicates areas in the product that may be affected by implementing this feature:

[1]Business object: WHMQCT
[2]Program: WHMPLE

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The program was enhanced to return the **License Plate Number (LPN)**.A new **LPN** column was added to the query output listview

Browse programs

LPN Container Browse

This program lets you browse and select LPN Container Types by loading all maintained container records from the container type WhmContainerType table into a listview for use in LPN-related processing.

License Plate Number Lots Browse

This program lets you select lot numbers within a specific License Plate Number (LPN) when performing a partial allocation (i.e., Not allocating the full LPN) from **Bins, Lots & Serial Allocation**.

This program cannot be run standalone.

License Plate Numbers Browse

This program lets you browse and select License Plate Number(s) (LPNs) across bins and warehouses as a reusable, review-type browse that can be launched standalone or from other programs.

Browse on Serial Numbers

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to let you filter serial numbers by License Plate Number (LPN)
- A new **License Plate Number (LPN)** selection was added the selection criteria.
- The **License Plate Number (LPN)** selection is only available in an LPN-enabled company. If the company is not configured to use LPNs, this selection is not loaded.
- If the **Browse on Serial Numbers** program is launched from another program, the **License Plate Number (LPN)** selection is disabled to prevent changing the caller's context.

Browse on Lots

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to let you filter serial numbers by License Plate Number (LPN)
- A new **License Plate Number (LPN)** selection was added the selection criteria.
- The **License Plate Number (LPN)** selection is only available in an LPN-enabled company. If the company is not configured to use LPNs, this selection is not loaded.
- If the **Browse on Lots** program is launched from another program, the **License Plate Number (LPN)** selection is disabled to prevent changing the caller's context.

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Browse on Warehouses

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to load only the warehouses that are selected for Stock take when it is launched from **Stock Take LPN Conversion**[1]
- When loading **Browse on Warehouses** from **Stock Take LPN Conversion**[2], the browse list is restricted to warehouses that are either:
  - Currently being converted to use LPNs, or
  - already selected into Stock take for the conversion process.

Bins, Lots & Serial Capture

This program lets you capture lot, bin and serial details when performing stock receipts and inventory movements.

The following indicates areas in the product that may be affected by implementing this feature:

- The program was enhanced to capture and validate associated License Plate Number(s) (LPNs). This is mandatory for all transactions where stock quantities are being reduced, ensuring accurate traceability and inventory control across all required dimensions.

Browse on Serial Numbers

You use this program to view currently defined serial header details for serialized stock items.

The following indicates areas in the product that may be affected by implementing this feature:

- This program has been enhanced for LPN-enabled companies to support filtering serial numbers by License Plate Number (LPN). A new LPN selection has been added to the program's selection criteria, allowing you to view serials for **All** LPNs or for a **Single** LPN. A **LPN column** has been added to the listview. In a company where the Use license plate number setup option is not enabled, the LPN selection is not available. When the Serial Browse program is launched with an LPN already provided, the LPN selection is disabled in the same way that selection options are restricted when stock codes is already entered, and the listview is limited to the serial number applicable.

[1]Program: INVP6X
[2]Program: INVP6X

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Affected business objects

The following indicates the business objects that are affected by this feature:

Setup objects

LPN Container Setup

The **LPN CONTAINER SETUP**[1] business object lets you add, maintain, and delete container types used for LPN containerization.

LPN Setup

The **LPN SETUP**[2] business object lets you create and maintain LPN records and their container relationships (including pre-creating LPNs and assigning relationships), while preventing LPN deletion by design so LPNs can only be archived when no longer required.

Inventory Stock Code Maintenance

The **INVENTORY STOCK CODE MAINTENANCE**[3] business object is used to add, update or delete inventory stock codes.

[1]Business object: WHMSCT
[2]Business object: WHMSLP
[3]Business object: INVSST

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Transaction objects

LPN Transfer

The **LPN TRANSFER**[1] business object lets you transfer stock by moving quantities from one LPN to another (or to a newly generated LPN), or by relocating the same LPN to a different bin/warehouse, while enforcing LPN content validations and updating the LPN movement and contents history tables.

LPN Parent-Child Relationship

This **LPN PARENT-CHILD RELATIONSHIP**[2] business object lets you create and maintain parent-child LPN relationships by adding and removing child LPNs against a specified parent LPN.

LPN Pallet Make up

This **LPN PALLET MAKE UP**[3] business object lets you perform pallet make-up processing (allocating transaction quantities into one or more LPNs/containers) when invoked from the **LPN Pallet Makeup**[4] program.

This business object cannot run standalone as it is called directly by the **License Plate Number Conversion**[5] and **LPN Pallet Makeup**[6] programs.

WIP LPN Allocations

This **WIP LPN ALLOCATIONS**[7] business object lets you allocate and deallocate WIP material quantities by LPNs (using Allocation type **A-allocate** and **D-deallocate**).

LPN Stock Take Capture

The **LPN STOCK TAKE CAPTURE**[8] business object lets you capture and maintain LPN details during stock take. You can add, change, or delete a single item in the selected LPN.

Health Check Correction Control

The **HEALTH CHECK CORRECTION CONTROL**[9] business object can be used to control the various business objects, whose function is to correct issues are highlighted by the health check queries. It calls the relevant HC posting business objects (for example **INVENTORY ON HAND BALANCE FUNCTION**[10]) posting corrections and returning the information requested.

Additional information

[1]Business object: WHMTTF
[2]Business object: WHMTCP
[3]Business object: WHMTPL
[4]Program: WHMPLP
[5]Program: WHMPCO
[6]Program: WHMPLP
[7]Business object: WIPTWA
[8]Business object: INVT6M
[9]Business object: COMTHC
[10]Business object: INVTBL

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Like the health check query functions an entry will be output to the ADMHEALTHLOG for each of the functions processed giving the status of the function and whether there were problems whilst trying to apply the corrections.

Each individual function run will also output a detail log containing information of what has been changed/updated.



The functionality for this business object is only available in a SQL environment.

Common elements

These are elements which are standard for all the correction functions and occur in the relevant nodes.

UseBalanceResults (N,Y,L)

If you wish you can choose to only check and balance items which were previously found to be out of balance by the Health Check (for example InventoryHealthCheck). This will limit checking and posting to the entries found by the health check.

N – Recheck all items as part of the balance process. This is the default and the reason for this is due to the fact that in a high transaction environment quantities change very quickly so even if the query was run mere seconds before this function it may be that something has occurred that has changed the situation.

Y – Check all entities that have been written to the relevant health check log table in SQL.

L – Check the entities that were written to the relevant health check log table the last time it was run.

BalanceRunDate

If Y was selected against USEBALANCERESULTS then you can, if you wish enter a specific date which will then process only those items that were written to the balance log at that date. If you do not enter a date then it will process all entries in the table.

BalanceRunTime

As per BALANCERUNDATE you can enter a specific time of when the balance query was run. If this is not submitted then it will process all entries found on the date.

InventoryOnHandOptions

This node contains the options related to running of the Inventory on hand balance. This object balances the on hand quantities between the Inventory Warehouse, Multiple bins, Lots and FIFO buckets. The options are as follows:

InventoryOnHandBalance

Select 'Y' if you want to run the inventory on hand balance correction.

Warehouse

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

If you wish you can run the balance correction for a single warehouse. This is the same as the warehouse selection available in the Inventory period end in SYSPRO. If left blank or not submitted then all warehouses are processed.

TransactionDate

If any imbalances are found then all postings done to the inventory journal and inventory movements tables will be done with this date. If left blank or not submitted then the current company date is used.

SetDefaultBin (Y/N)

Selecting this option will do the following:

- Set the default bin on the InvWarehouse table to equal the warehouse if no bins exist for that stockcode/warehouse.
- Create a default bin row in `INVMULTBIN` if no rows already exist

RecalcWhsCostsFromFifo (Y,N)

Please refer to the help on the option 'Recalc. Current cost from FIFO buckets' in the **Inventory Period End** program for an explanation of this element.

RecalcActCostsFromFifo

Please refer to the help on the option 'Recalc. Actual cost from FIFO buckets' in **Inventory Period End** program for an explanation of this element.

RecalcActRecQtyOnFifo

Please refer to the help on the option 'Recalc. actual cost original receipt qty' in **Inventory Period End** program for an explanation of this element.

DeleteFifoOrphans (Y,N)

Whilst very uncommon it is possible, with actual costing by lots, where you can have FIFO entries that are not associated with any lot for that stockcode/warehouse. This shows as an imbalance and can have an effect on inventory valuation.

Y – Select this if you wish for any orphan FIFO rows to be deleted. This is the default.

N – Select this if you do not want orphan FIFO rows to be deleted. NOTE that if these rows have a quantity on hand then the balance query will highlight these as having an imbalance.

GoodsInTransitOptions

This node contains the options related to running of the Goods in Transit balance. This object balances the quantities and values on the Goods in Transit tables as well as the in transit quantity and values on the Inventory Warehouse. The options are as follows:

GoodsInTransitBalance

Select 'Y' if you want to run the Goods in Transit balance correction.

Warehouse

If you wish you can run the goods in transit balance correction for a single warehouse. This is the same as is available in Syspro

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

ResetLocked

Set this to 'Y' if you wish to clear any locked goods in transit that are flagged as locked. It is important to note that this should not be chosen if operators are currently processing as they may be posting goods in transit receipts, in which case the locks are valid. The default is 'N'

SalesQuantityOptions

This node contains the options relating to balancing the ship/reserved quantities on the sales order detail lines (SorDetail) and the related ancilliary tables (SorDetailLot, SorDetailBin, SorDetailSer).

SalesQuantityBalance

Select 'Y' if you want to run the Sales line quantity balance correction.

ResetInProcess

Set this to 'Y' if you wish to reset the order status of any orders that are currently in process. It is important to note that this should not be chosen if operators are currently processing as they may be maintaining orders, in which case the order being in process is valid. The default is 'N'

SalesToInventoryOptions

This node contains the options relating to the balancing quantities on sales order detail lines (SorDetail, SorDetailLot, SorDetailBin, SorDetailSer) and inventory tables (InvWarehouse, LotDetail InvMultBins, InvSerialHead).

SalesToInventoryBalance

Select 'Y' if you want to run the Sales to Inventory balance correction.

ResetInProcess

Set this to 'Y' if you wish to reset the order status of any orders that are currently in process. It is important to note that this should not be chosen if operators are currently processing as they may be maintaining orders, in which case the order being in process is valid. The default is 'N'

RecalcSerialQtyAvail

Set this to 'Y' if you wish to recalculate the quantities available on manual serials. If a serial is flagged as on loan, in service, or at the depot then it is included in the quantity allocated on the inventory warehouse table.

LockType

This is the type of locking you wish to apply in SQL when running the checks on the data in Syspro. The type of lock you select may improve the speed of the query but locking of the table is not recommended if used whilst operators are transacting.

The types of locking available are:

H – Acquire a hold lock on each row processed (HOLDLOCK). This prevents insertions taking place whilst accumulation of figures is taking place. This is the default

L – Acquire a shared lock on each row as it is processed.

T – Acquire a shared lock on each table as it is processed (TABLOCK)

X – Exclusively lock the tables whilst processing (TABLOCKX)

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

DetailOrSummary

D – Return details of changes made (default)

S – Return just the counts of rows changed

MaxItemsToReturn

Enter the number of detail rows to return. This is useful if a large number of rows are going to be affected by the changes.
If left as zero then all rows are returned.

XslStylesheet

The style sheet to be applied to the XML returned.

eSignature

GUID for eSignatures

Processing

The following conditions must be met for this business object to run correctly:

- The company must be a SQL company. If it is not then then an exception is raised with the message 'This function is not available in an ISAM environment'.
- If you are in an environment where inventory is shared then any of the functions that balance figures in inventory itself (i.e. INVTBL, INVTBG and INVTBS) will not process and a message indicating that these can only be run in the Inventory holding company will be returned
- An electronic signature will check the options selected to determine whether you have permission to run various functions.
- For each of the tests to be run the following occurs:
- An entry is output to the Health check log table (AdmHealthLog)
- The relevant business objects are then called (please refer to the relevant documents for details of the processing for each of these objects as well as the information returned and any exceptions and limitations).

  INVENTORY ON HAND BALANCE FUNCTION[1]

  GOODS IN TRANSIT BALANCE FUNCTION[2]

  SALES LINE QUANTITY BALANCE POST[3]

  INVENTORY TO SALES BALANCE POST[4]

- The results from the business object are added to the XML out according to the options

[1]Business object: INVTBL
[2]Business object: INVTBG
[3]Business object: SORTBL
[4]Business object: INVTBS

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- selected
- The entry created in the Health check is updated with the end date and time, the status of the check and any relevant message.

Stock Take Selection

The **STOCK TAKE SELECTION**[1] business object lets you select the stock codes you want to include in a stock take count. The selection of stock items to count is the first step in the stock take process.

Stock Take Cancellation

The **STOCK TAKE CANCELLATION**[2] business object lets you cancel a stock take and clear the stock take tables. It is called when you run the **Stock Take Cancellation** program from the ***Syspro Desktop*** version.

Inventory Movements (Backflushing)

The backflushing The **INVENTORY MOVEMENTS (BACKFLUSHING)**[3] business object is used to record the manufacture of items without using a Work in Progress job. This enables the issuing of materials from inventory, applying standard labor costs, and receipting the finished good back into stock, all in one process.

Additional information

This function is particularly relevant in situations where the benefits derived from creating a job to track the activity on the job floor do not justify the cost of processing all the data normally required for a job.

The system uses the manufactured item's bill of materials to determine the material and labor charges to be included.

[1]Business object: INVT60
[2]Business object: INVT6C
[3]Business object: INVTBF

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

Inventory Movements (Adjust/Physical)

The **INVENTORY MOVEMENTS (ADJUST/PHYSICAL)**[1] business object enables the capture of an inventory adjustment or physical count transaction.

Additional information

An adjustment transaction updates the on hand quantity of a stock item either positively (by entering a positive quantity) or negatively (by entering a negative quantity).
A physical count transaction updates the quantity on hand to equal the quantity entered. This type of transaction is not permitted if multiple bins are installed (Setup | Distribution Setup | Inventory | General tab).

Inventory Movements (Bin Transfers)

The **INVENTORY MOVEMENTS (BIN TRANSFERS)**[2] business object lets you capture a bin transfer transaction, which records the transfer of items from one bin location to another.

Inventory Movements (Expense Issues)

The **INVENTORY MOVEMENTS (EXPENSE ISSUES)**[3] business object enables the capture of an expense issue transaction, which records the miscellaneous issue of stock from inventory. The quantity on hand is reduced by the quantity issued and the transaction is valued at the current inventory cost. Entering a negative quantity can reverse any quantity issued in error.

Inventory Movements (WH Xfers IN)

When performing a non-immediate transfer of stock from one warehouse to another, items remain in transit until the transfer is recorded into the destination warehouse. The **INVENTORY MOVEMENTS (WH XFERS IN)**[4] business object enables items in transit to be received into the destination warehouse.

Additional information

To process an immediate transfer where items are transferred out of the source warehouse and into the destination warehouse in one transaction, use the **INVENTORY MOVEMENTS (WH XFERS OUT/IMM)**[5] business object.
If the Goods in Transit transfers facility is installed (Setup | Distribution Setup | Inventory | General tab), this function will be unavailable and the **INVENTORY MOVEMENTS (GIT WH XFERS IN)**[6] business object should be used instead.

Inventory Movements (GIT Wh XFers IN)

[1]Business object: INVTMA
[2]Business object: INVTMB
[3]Business object: INVTME
[4]Business object: INVTMI
[5]Business object: INVTMO
[6]Business object: INVTMN

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

The Goods in Transit system provides a mechanism for greater management control over stock items that are in the process of being transferred between warehouses. It achieves this by monitoring warehouse transfers and supply chain transfers.

Stock is depleted from the source warehouse at the time of generating the GIT warehouse transfer out or completing a supply chain transfer and is placed in transit against the receiving warehouse. The **INVENTORY MOVEMENTS (GIT WH XFERS IN)**[1] business object controls the receipt of this stock at the receiving warehouse.

Additional information

- The stock items may be serialized and/or lot traceable and non-merchandise costs may be distributed to various ledger codes prior to posting to General Ledger.
- If the quantity to be received into the destination warehouse is less than the total quantity outstanding and the GIT transfer in transaction is completed, the remaining quantity may be returned to the source warehouse via a stock adjustment or expensed out of stock via an expense issue transaction.
- If the quantity to be received into the destination warehouse exceeds the total quantity outstanding and the GIT transfer in transaction is completed, a stock adjustment is processed against the source warehouse.
- If the target warehouse is defined as transfer supplied (Syspro menu | Inventory | Setup | Stock Codes | Edit pulldown | Warehouses), the system establishes whether any cost multiplier exists between the two warehouses.
- Cost multiplier entries defined against a specific stock code/warehouse combination take precedence. If these entries are not defined at stock code level, the program uses entries defined at warehouse level (Syspro menu | Inventory | Goods in Transit | Warehouse Move Matrix). If entries are not located in the matrix, a cost multiplier of 1 is used.
- If the Goods in Transit transfers facility is not installed (Setup | Distribution Setup | Inventory | General tab), this function will be unavailable and the business object **INVENTORY MOVEMENTS (WH XFERS IN)**[2] should be used instead.



Note that when processing partial receipts, the business object only caters for receipts into one lot number. In other words, only one lot and or bin per GtrReference (not multiple lots, or one lot/multiple source bins).

Inventory Movements (WH Xfers OUT/IMM)

[1]Business object: INVTMN
[2]Business object: INVTMI

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

The **INVENTORY MOVEMENTS (WH XFERS OUT/IMM)**[1] business object lets you record the transfer of items from one warehouse to another.

Inventory Movements (Receipts)

The **INVENTORY MOVEMENTS (RECEIPTS)**[2] business object receipts items into stock that are not associated with a purchase order, job, landed cost tracking shipment or a backflushing entry.

Additional information

- When processing receipts, a portion of the transaction value can be specified as comprising non-merchandise costs, which can be distributed to various ledger codes prior to posting to General Ledger.
- Cost multiplier entries cannot be posted if the **Inventory Setup** option: **APPLY COST MULTIPLIER WHEN PROCESSING RECEIPTS** (Setup | Distribution Setup | Inventory | Options tab) is not selected.
- The parameter `MANUALSERIALTRANSFERSALLOWED` should only be used in special conditions when the quantity available on a serial number is > 0, but the quantity on hand is 0.
- This parameter won't allow you to transfer a manual serial number with zero quantity on hand and quantity available to a different warehouse as you can't use the same manual serial number in two different warehouses, regardless of the options governing serial tracking.
- Entering a negative quantity can reverse a transaction.

Purchase order receipt use the **PO PURCHASE ORDER RECEIPTS**[3] business object.

To process a job receipt use the **WIP JOB RECEIPTS**[4] business object.

To process a backflushing transaction, use the **INVENTORY MOVEMENTS (BACKFLUSHING)**[5]business object.

Inventory Movements (GIT WH Xfers OUT)

The **INVENTORY MOVEMENTS (GIT WH XFERS OUT)**[6] business object controls the transfers of stock out of the warehouse.

Additional information

[1]Business object: INVTMO
[2]Business object: INVTMR
[3]Business object: PORTOR
[4]Business object: WIPTJR
[5]Business object: INVTBF
[6]Business object: INVTMT

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The Goods in Transit system provides a mechanism for greater management control over stock items that are in the process of being transferred between warehouses. It achieves this by monitoring warehouse transfers and supply chain transfers.
- A transfer out from a warehouse creates goods in transit records indicating that stock was transferred from the source warehouse to the target warehouse. These records include any lots, bins or serials involved in the transfer.
- Stock on hand is decreased at the source warehouse, while stock is placed in transit for the target warehouse.
- Each goods in transit transfer is identified by a reference number that is generated according to the numbering method specified within the **Inventory Setup** options (Setup | Distribution Setup | Inventory | Numbering tab).
- If the target warehouse is defined as transfer supplied (Syspro menu | Inventory | Setup | Stock Codes | Edit pulldown | Warehouses), the system establishes whether any lead time exists between the two warehouses.
- Based on the transaction date, this lead time is used to calculate the due date of the reference line.
- Lead time entries defined against a specific stock code/warehouse combination take precedence.
- If this entry is not defined at stock code level, the program uses the entry defined at warehouse level (Syspro menu | Inventory | Goods in Transit | Warehouse Move Matrix). If an entry is not located in the matrix, a lead time of zero (0) is used.
- Lines can be appended to an existing GIT reference number provided that it is for the same warehouse combination and is not already complete.



If the Goods in Transit transfers facility is not installed (Setup | Distribution Setup | Inventory | General tab), this function will be unavailable and **INVENTORY MOVEMENTS (WH XFERS OUT/IMM)**[1] should be used instead. Goods in Transit transfers facility is not installed (Setup | Distribution Setup | Inventory | General tab), this function will be unavailable and **INVENTORY MOVEMENTS (WH XFERS OUT/IMM)**[2] business object should be used instead.

Inventory Stock Take Import

The **INVENTORY STOCK TAKE IMPORT**[3] business object captures and records the results of a stock count that was performed on a selected range of inventory items.

Additional information

[1]Business object: INVTMO

[2]Business object: INVTMO

[3]Business object: INVTSC

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The capture method can be set to Increase (where the supplied quantity is added to any previously captured quantity) or Replace (where the supplied quantity replaces any previously captured quantity).
- This business object does not update the inventory files with the results of the stock take; however, the stock take can be confirmed using the **INVENTORY STOCK TAKE CONFIRMATION**[1] business object.

Inventory Setup Transaction Posting

The **INVENTORY SETUP TRANSACTION POSTING**[2] business object lets you update inventory company setup options and save changes for a list of warehouses.

Inventory Stock Take Confirmation

The **INVENTORY STOCK TAKE CONFIRMATION**[3] business object confirms details of the stock take capture process and updates the live inventory file with the captured quantities.

Additional information

The **INVENTORY STOCK TAKE IMPORT**[4] business object can be used to perform the stock take capture process.

This business object performs two phases:

- Phase 1:
  - This phase scans the stock take master and verifies that the stock update can be performed. The process is aborted if there are any missing ledger interface entries; missing warehouse records; missing bins; missing lots; or, if because of the update, stock will go negative (and negative stock is not allowed).
- Phase 2:
  - This phase updates the inventory warehouse file with the captured quantities. Any difference between the saved and captured quantities is added to the month-to-date adjustments field and a journal record is created.

[1]Business object: INVTSU
[2]Business object: INVTSO
[3]Business object: INVTSU
[4]Business object: INVTSC

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

PO Landed Cost Receipts

The **PO LANDED COST RECEIPTS**[1] business object is used to process positive receipts against shipments. Shipments can be receipted into stock or into inspection, if they have been defined as requiring inspection or they are lot traceable items. Sundry lines can also be receipted in.

PO Purchase Order Receipts

The **PO PURCHASE ORDER RECEIPTS**[2] business object is used to process positive receipts against purchase orders.

SO Back Order Releases Import

The **SO BACK ORDER RELEASES IMPORT**[3] business object can be used to release back order quantities or alternatively, update or confirm ship quantities against a batch of existing sales order lines. It also allows the order status to be updated to reflect the new ship status.

SO Consolidate Dispatch Invoice Calculation

The **SO CONSOLIDATE DISPATCH INVOICE CALCULATION**[4] business object lets you post invoices against consolidated dispatch notes.

The Dispatch Note Consolidation program creates the consolidation records against the invoice. When the invoice is posted, all required transactions and calculations are processed and saved to the SYSPRO database.

A copy of the invoice information is stored and can be printed/reprinted using the **SO CONSOLIDATED DISPATCH INV DOC QUERY**[5] business object or the Sales Order Batch Invoicing program.

SO Dispatch Note Consolidation

The **SO DISPATCH NOTE CONSOLIDATION**[6] business object lets you consolidate dispatch notes for invoicing.

SO Credit Note lines

The **SO CREDIT NOTE LINES**[7] business object lets you add lines to an existing credit sales order.

Dispatch Note Add Lines from Sales Order

The **DISPATCH NOTE ADD LINES FROM SALES ORDER**[8] business object lets you add sales order lines to a dispatch note.

SO Dispatch Note Cancel

[1]Business object: PORTLR
[2]Business object: PORTOR
[3]Business object: SORTBO
[4]Business object: SORTCC
[5]Business object: SORQCD
[6]Business object: SORTCD
[7]Business object: SORTCL
[8]Business object: SORTDA

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

The **SO DISPATCH NOTE CANCEL**[1] business object lets you process dispatch notes.

SO Dispatch Note Maintenance

The **SO DISPATCH NOTE MAINTENANCE**[2] business object lets you maintain the sales order dispatch note.

When the dispatch quantity is reduced, the back order quantity against the sales order line is automatically increased.

Allocations for traceable or serialized stock items must be de-allocated in the stocking unit of measure. Stock allocations against the dispatch line can be reduced or deleted, but can't be changed to a different lot, bin or serial.

Dispatch note creation from Sales Order

The **DISPATCH NOTE CREATION FROM SALES ORDER**[3] business object lets you create dispatch notes from sales orders.

SO Invoice Calculation from Sales Order

The **SO INVOICE CALCULATION FROM SALES ORDER**[4] business object lets you process the sales orders that are created using the **SO SALES ORDER IMPORT**[5] or the Sales Order Entry program.

SO Dispatch Invoice Calculation

The **SO DISPATCH INVOICE CALCULATION**[6] business object lets you invoice the dispatch notes that are created using the **DISPATCH NOTE CREATION FROM SALES ORDER**[7] business object or the Dispatch Note Review program.

SO Order or Order Line Cancel

The **SO ORDER OR ORDER LINE CANCEL**[8] business object lets you process sales orders.

SO Pick Allocation Override

The **SO PICK ALLOCATION OVERRIDE**[9] business object lets you override a stock item's original bin, lot or serial that was allocated for picking. The updated allocation information is saved in the SorPickAmendJnl table.

[1]Business object: SORTDC
[2]Business object: SORTDM
[3]Business object: SORTDN
[4]Business object: SORTIC
[5]Business object: SORTOI
[6]Business object: SORTNC
[7]Business object: SORTDN
[8]Business object: SORTOX
[9]Business object: SORTPA

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

SO Release Sales Orders to Picking

The **SO RELEASE SALES ORDERS TO PICKING**[1] business object lets you create a new pick on the sales order line as well as add the sales order line to the existing pick.

SO Pick Status Change

The **SO PICK STATUS CHANGE**[2] business object lets you change the status of a pick from S - STARTED to F - CONFIRMING, X - CANCELLED or C - PICKED.

The business object also changes the status of pick lines.

SO Create Pick From SO Released to Pick

The **SO CREATE PICK FROM SO RELEASED TO PICK**[3] business object lets you create or add to an existing pick. The information that you can indicate when creating or adding to existing pick includes the bin, lot number, quantity required, sales order number, sales order line number and serial number.

SO Allocate Reserved Stock

The **SO ALLOCATE RESERVED STOCK**[4] business object enables lots, bins and/or serials to be allocated for reserved stock against a sales order line.

SO Release Kit Item from Back Order

This is a posting The **SO RELEASE KIT ITEM FROM BACK ORDER**[5] business object which will release a Kit Item which is on back order. This business object is only designed to be used for Kit Type 'K' or 'S' - please use SORTBO to process Kit Type 'F' items. Please note: You can only assign one lot per component allocation per parent stock. In order to allocate more lots, you will have to post two (or more items depending on the number of lots) item nodes for the parent with the quantity per lot you wish to allocate.

SO Release Negative Back Order Lines

The **SO RELEASE NEGATIVE BACK ORDER LINES**[6] business object is used to process and release negative quantity sales order lines from back order by validating the order details and applying the appropriate quantities, allocations, and stock controls.

Additional information

[1]Business object: SORTPN
[2]Business object: SORTPS
[3]Business object: SORTR1
[4]Business object: SORTRA
[5]Business object: SORTRK
[6]Business object: SORTRN

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- The default process is to ship a sales order line containing a negative quantity using the full back order quantity from the line. Detail allocations must be supplied for the line if it requires lots, bins, serials or revision/release quantities.
- A quantity may be supplied which is less than or equal to the current back order quantity.
- Stock code, customer and warehouse information may be supplied as a check that the correct line has been selected. If any one is supplied and is incorrect, then the line will not be processed.

Detailed validation:

Order header

- Must be an active sales order, not in process, not credit or debit note, not forward order, not suspended
  If customer is given, then must be the same as that on order, and must exist

Order line

- Line must be present on order
- Line must be type 1 or type 7
- Line order qty must be negative
- Line must have a backorder quantity. The quantities supplied must be in stocking unit of measure regardless of the order unit of measure. If the quantity is not supplied, or is zero, then the back order quantity on the line is used. The quantity is supplied as positive.
- Cases and pieces must be valid if supplied. If not, and unit qty processing, then quantity must convert correctly
- If order is scheduled, then line must be scheduled
- If stock code or warehouse given must be the same as on the order
- Stock code and warehouse must be valid
- Stock code not on hold
- If on partial, treated as a warning
- No kit parts or parents
- If lot traceable, then lot must be supplied, and must have enough quantity to credit
- If ECC then rev / rel must be supplied and must be valid
- If warehouse uses bins, then quantity in bins must be given, and must total line quantity - bins must not be on hold. If bins in use but not in arehouse, entered bins ignored and dummy bin used.

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

- If serials, then quantity for serials must be given, and must total line qty. If rev/rel then must match that for line. Serial must not be scrapped or expired (warning for both). Must be able to credit serial.

SO Release Backorder to Reserved

The **SO RELEASE BACKORDER TO RESERVED**[1] business object enables stock that is on back order against a sales order line to be reserved.

WHM Mission Complete/Cancel

The **WHM MISSION COMPLETE/CANCEL**[2] business object lets you complete or cancel a putaway (e.g. a warehouse or bin transfer) and is called from the **WHM Review Mission Tasks** program.

WMS Putaway Entry

The **WMS PUTAWAY ENTRY**[3] business object lets you add putaways to the WhmMissionTasks and WhmMission tables.

LPN Pallet Make up

This **LPN PALLET MAKE UP**[4] business object lets you perform pallet make-up processing (allocating transaction quantities into one or more LPNs/containers) when invoked from the **LPN Pallet Makeup**[5] program.

This business object cannot run standalone as it is called directly by the **License Plate Number Conversion**[6] and **LPN Pallet Makeup**[7] programs.

[1]Business object: SORTRR
[2]Business object: WHMTCM
[3]Business object: WHMTPE
[4]Business object: WHMTPL
[5]Program: WHMPLP
[6]Program: WHMPCO
[7]Program: WHMPLP

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

LPN Transfer

The **LPN TRANSFER**[1] business object lets you transfer stock by moving quantities from one LPN to another (or to a newly generated LPN), or by relocating the same LPN to a different bin/warehouse, while enforcing LPN content validations and updating the LPN movement and contents history tables.

WIP Inspection Accept into Stock

The **WIP INSPECTION ACCEPT INTO STOCK**[2] business object is used to accept a quantity of a job's finished stock code into stock after completing an inspection. This is a two-stage receipt facility for job receipts, similar to that found in purchase order receipts. This is only available if for stocked items that are flagged as "Inspection required". A ledger entry is made for the transaction if Work in Progress is integrated to general ledger.

WIP Job Receipts

The **WIP JOB RECEIPTS**[3] business object lets you process receipts against Work in Progress jobs for stocked items.

WIP Job Specific Issues

The **WIP JOB SPECIFIC ISSUES**[4] business object lets you issue material to existing jobs and can be used to issue to both stocked and non-stocked material allocations.

WIP Pick Allocation Override

The **WIP PICK ALLOCATION OVERRIDE**[5] business object lets you override a stock item's original bin, lot or serial that was allocated for WIP picking. The updated allocation information is saved in the WhmPickDetail table.

WIP Create Pick

The **WIP CREATE PICK**[6] business object lets you create a new WIP pick or add the lines to an existing WIP pick.

WIP Pick Status Change

The **WIP PICK STATUS CHANGE**[7] business object lets you change the status of a WIP pick and a pick line from open to confirm, cancel or complete.

WIP Reserve Lots and Serials

The **WIP RESERVE LOTS AND SERIALS**[8] business object lets you reserve lots and serials against jobs.

[1]Business object: WHMTTF
[2]Business object: WIPTAI
[3]Business object: WIPTJR
[4]Business object: WIPTMI
[5]Business object: WIPTPA
[6]Business object: WIPTPN
[7]Business object: WIPTPS
[8]Business object: WIPTRJ

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

WIP LPN Allocations

This **WIP LPN ALLOCATIONS**[1] business object lets you allocate and deallocate WIP material quantities by LPNs (using Allocation type **A-allocate** and **D-deallocate**).

Query objects

Container Query

This **CONTAINER QUERY**[2] business object lets you query and return container details based on the specified filter criteria.

LPN Query

This **LPN QUERY**[3] business object lets you query and return License Plate Number (LPN) details for a specified LPN, with options to include the LPN movement history and/or the stock contents of the LPN.

LPN SO Allocations Query

This **LPN SO ALLOCATIONS QUERY**[4]business object lets you query and return the sales order allocations for a specified full License Plate Number (LPN), including the lot and serial allocations associated with that full LPN.

WHM Pick Number Query

This **WHM PICK NUMBER QUERY**[5] business object lets you query and return pick details for a specified pick number, including the associated LPN information, and the related allocation details.

Inventory Query

The **INVENTORY QUERY**[6] business object allows you to query details of a stock code

Allocated LBS Query Business Object

The **ALLOCATED LBS QUERY BUSINESS OBJECT**[7] business object lets you query allocated bins, lots and serials for ***Work in Progress***, ***Sales Orders***, ***Return Merchandise***, and ***Dispatch Notes*** .

Inventory Stock Take Query

The **INVENTORY STOCK TAKE QUERY**[8] business object returns information about stock codes that have been included in a stock take.

Inventory Lost and Found Warehouse Query

[1]Business object: WIPTWA
[2]Business object: WHMQCT
[3]Business object: WHMQLP
[4]Business object: WHMQLO
[5]Business object: WHMQPI
[6]Business object: INVQRY
[7]Business object: IMPQAL
[8]Business object: INVQSR

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.

The **INVENTORY LOST AND FOUND WAREHOUSE QUERY**[1] business object lets you query inventory lost and found warehouse transactions.

SO Consolidated Dispatch Inv Doc Query

The **SO CONSOLIDATED DISPATCH INV DOC QUERY**[2] business object returns all information that can be printed on a consolidated dispatch invoice. The number of invoices selected can be filtered.

SO Dispatch Note Documents Query

The **SO DISPATCH NOTE DOCUMENTS QUERY**[3] business object returns all information that can currently be printed on dispatch notes.

SO Sales Order Invoice Document Query

The **SO SALES ORDER INVOICE DOCUMENT QUERY**[4] business object returns all information that can be printed on invoices, credit notes, debit notes and Goods in Transit SCT transfers.

SO Picking Slip Query

The **SO PICKING SLIP QUERY**[5] business object lets you query picking lists and return the sales order lines, as well as the allocations for these sales order lines, in a required pick.

SO Pick Query

The **SO PICK QUERY**[6] business object lets you query sales order picks and display the pick lines for the entered pick number. Pick line details include the quantity in picking, the sales order line attached to the pick, and the status of each pick line.

[1]Business object: INVQWL
[2]Business object: SORQCD
[3]Business object: SORQDD
[4]Business object: SORQID
[5]Business object: SORQPK
[6]Business object: SORQPN

Copyright © 2026 Syspro PTY Ltd. All rights reserved. All trademarks are recognized.



www.syspro.com